



# Development of Ready to Use Pellets from Tamarind (*Tamarindus indica L.*) Fruit Pulp

N. Karpoora Sundara Pandian <sup>a\*</sup>, S. Prithya <sup>a</sup>,  
K. Kamaleeswari <sup>a</sup> and S. Ganga Kishore <sup>b</sup>

<sup>a</sup> Department of Food Plant Operations, College of Food and Dairy Technology, Tamil Nadu Veterinary and Animal Sciences University, Koduveli, Chennai – 600 052, India.

<sup>b</sup> Department of Food Process Engineering, National Institute of Technology, Rourkela - 769 005, India.

## Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

## Article Information

DOI: <https://doi.org/10.9734/ajaar/2024/v24i10551>

## Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

<https://www.sdiarticle5.com/review-history/124406>

Original Research Article

Received: 25/07/2024

Accepted: 27/09/2024

Published: 04/10/2024

## ABSTRACT

Tamarind is a widely grown tree in the Indian subcontinent and the fruit pulp plays a major role in south Indian cuisine for enhancing both traditional and contemporary recipes. The tamarind fruit pulp was primarily dried (48 hours) in a solar dryer to achieve a moisture content of 9% (w.b.), and the five treatments were made by combining dried tamarind pulp with corn flour in the ratios of 1:1, 1.5:1, 2:1, 2.5:1, and 3:1. All treatments were analysed for physicochemical, sensory evaluation, and time required for partial and complete solubility of produced tamarind pellets under varied temperature settings (55°C, 65°C, and 100°C) and with and without stirring. The sensory evaluation

\*Corresponding author: Email: [karpoorasundaram@gmail.com](mailto:karpoorasundaram@gmail.com);

results indicate that a 3:1 sample ratio has higher overall acceptance ( $8.4 \pm 0.1316$ ). The pH and acidity of each sample show an inverse relationship. The most accepted sample (3:1) had a higher acidity value of  $17.2 \pm 0.13127\%$  and a lower pH of  $2.74 \pm 0.13139\%$  compared to other treatments. The time required to dissolve all treatments decreased as the temperature increased throughout the stirring technique. The 3:1 sample took 5.1 and 8.5 minutes to achieve partial and entire solubility at  $100^\circ\text{C}$  with stirring. Tamarind content has a significant impact on tamarind pellet solubility. Ready-to-use tamarind pellets were produced as a result of efficient tamarind utilization. It can be used instantly during the cooking process, saving time on making tamarind paste.

*Keywords: Tamarind fruit pulp; multipurpose plant; pellets.*

## 1. INTRODUCTION

Tamarind belongs to the dicotyledonous Leguminosae family, the third largest flowering plant family, with 727 genera and 19,327 species [1]. Tamarind is a multipurpose plant, seasonal and perishable agricultural food source and important cash crop for India, ranking sixth in terms of export revenues. Tamarind may be grown in virtually any kind of soil, including poor and marginal soils. Because its life cycle is prolonged, deep loamy soils with good soil moisture holding capacity are optimal. The whole tamarind fruit have three major parts, such as pulp (55%), seed (34%) and shell and fibre (11%) [2,3]. It contains numerous nutritional benefits. Tamarind pulp is mostly composed of carbohydrate (50.07 g) and moisture (35.29 g), with a high fibre content (4.13 g) [1].

The high antioxidant activity of the tamarind fruit pulp can be attributed to its abundant polyphenol and flavonoid content. The antioxidant properties of a rich-fibre powder extract derived from tamarind pulp using several solvents (methanol, water, and dimethylsulfoxide (DMSO)) were studied [4]. The study found that DMSO tamarind extract contains the greatest phenolic (4.24 mg GAE/g) and flavonoid (127.16 mg RE/g) components. The methanolic extract of tamarind demonstrated good antioxidant activity in the DPPH experiment (92.62% radical inhibition). The predominant antioxidant property of tamarind fruit pulp was to inhibit the lipid oxidation in breadfruit seed and dhal with addition of tamarind pulp. It was evident from the mean of thiobarbituric acid (TBA) value which decreased with increasing concentrations of the fruit pulp [5]. In a sensory evaluation, the product demonstrated acceptable acceptability with the 10% substitution of tamarind pericarp powder in cookies resulted in a considerable increase in fiber content (fourfold) and phenolic component content (2.6 fold) [6].

Anthocyanin, a water-soluble polyphenolic flavonoid pigment, is responsible for colouring in different plant sections. Low density lipoprotein (LDL), triglycerides, and total cholesterol are all reduced by the water extract from the pulp of tamarind. The Organization for Economic and Cultural Development (OECD) and the World Health Organization (WHO) recommend that tamarind pulp extract be deemed safe, as its lethal dose (LD50) is larger than 5000 mg/kg body weight and it is practically non-toxic [7].

Tamarind has more application in food preparation and preservation. The higher acidity range of the tamarind (8 to 18%) was used as a coagulant in soy cheese production (AWARA) and increase in the yield (11.53%) of the end product [8]. In the aim of improving storage stability, the tamarind was dried. The mechanical drying of tamarind at  $70^\circ\text{C}$  had highest moisture removal rate followed by mechanical drying at  $60^\circ\text{C}$  in the tray dryer [9]. The products from this commodity can preserve and improve health benefits. Different form of tamarind products are available, such as candy and sweetened syrup. There are three types of tamarind fruit pulp: raw pods (which are the least processed and can be easily opened to remove the pulp), pressed blocks (which have the shell and seeds removed and the pulp compressed into a block), and concentrates (which are boiled and may contain preservatives). The quality of tamarind was considered by color of the dehulled tamarind. Brownish red of tamarind is the acceptable colour in the market and treated as fresh from farm [10].

The objective of this study was to develop the tamarind pellets for instant use in cooking in ready- to- use form and the physico-chemical and solubility characteristics were studied. The tamarind pellets are reducing the time consumption from the conventional preparation of tamarind paste and also it is easy to use during cooking. The shelf life of the product will

be increased by removal of moisture through the drying process.

## 2. MATERIALS AND METHODS

**Collection of ingredients:** The seedless fresh tamarind fruit and corn flour was brought from the local market. Corn flour and the purified water was used to make the tamarind pellets.

**Preparation of Tamarind Blend:** The tamarind pulpy paste was prepared by blending the seedless tamarind fruit with the water in the ratio of 8:2. The fruit was well blended with blender and the fine smooth paste was obtained from filtration process. The filtration process removed the undesirable matters from the paste and pure paste was obtained [11].

**Drying:** After obtaining the tamarind pulpy paste, it must be spread on trays in the thickness of 1-2 mm and undergo for drying. The conventional method of drying (sun drying) was used to remove the moisture from the fine tamarind paste. The sun drying was conducted upto 48 hours efficiently until the tamarind paste reach 9% of moisture content as mentioned by Sinha et al. [12]. The purpose of drying was usually to reduce the moisture content and to get better consistency of the tamarind paste. In sun drying, the solar radiation heats up the thin layer of paste in the tray as well as the surrounding air and thus increases the rate of water evaporation from the sample.

**Pressure Moulding:** After sun drying, the dried tamarind paste was taken away from the trays with the use of sharp knife. The five treatments were carried out by adding the tamarind with corn flour in the ratio 1:1, 1.5:1, 2:1, 2.5:1 and 3:1. Corn flour have the excellent binding properties with water and it facilitates the higher solubility, because it has 10 copies of the Amylopectin molecule and three of the Amylose molecule were used to most closely resemble the amylose/amylopectin ratio reported by Gamero-Barraza et al. [13]. The tamarind and corn flour was thoroughly mixed. The different treatments were moulded manually. Small amount of paste (1g) from each treatment was taken and it was filled in the circular pellet mould (similar in shapes of pro-circle). For the hygienic purpose hands were covered by the hand gloves. The pressure was usually applied through hands and the excess pasty compounds that was removed from the mould.

**Drying of tamarind pellets:** The moulded pellet was again dried under sun for a week to attain 8.7% moisture content. The secondary sun drying was usually done to further reduction of moisture and also to increase the product's shelf life without the use of any chemical preservatives. The dryness of the pellet was checked by visual observations that the pellets get loosened from the mould surface (shrinkage) due to the reduction in moisture and reduction in stickiness.

**Unmoulding and packaging of dried tamarind pellets:** The dried pellets were removed from the mould and the final dried pellets are showed in the Fig. 1.



Fig. 1. Tamarind pellets

After unmoulding, the dry tamarind pellets were packed in air tight plastic packaging material. The air tight LDPE ziplock cover was used to avoid the moisture absorbance from the atmosphere as shown in Fig. 2.



Fig. 2. Packaging of tamarind pellets

**Titrateable acidity and pH:** Titrateable acidity in the dried tamarind pellet was measured in terms of tartaric acid following the method described by Lee et al. [14]. For measuring titrateable acidity, 1 pellet (1 g) from each treatment was taken and diluted with 95 mL of distilled water making the volume to 100 mL, then filtered through Whatman no. 41 filter paper and titrated against 0.1 N NaOH using phenolphthalein indicator. The tamarind pellet sample (1 g) was diluted with 45 mL distilled water, and pH was measured with glass electrode (SUSIMA Technologies Private Limited, Chennai).

**Solubility of dried tamarind pellets:** It is defined as the maximum quantity of a drug dissolved in a given volume of a solvent at a certain temperature. Solubility information is very important when designing food based pellets. The partial solubility and complete solubility of the dry tamarind pellets were analyzed in the following method given by Takeru et al. [15] with some modifications. The tamarind pellet 1 g (1 pellet) was added into the 100 ml of distilled water and immersed in water bath. The dissolution process was carried out in water bath at three differential temperatures such as 55 °C, 65 °C and 100 °C with and without stirring of the solution with a glass rod. The solubility tested samples were illustrated in the Fig. 3. The time duration taken for the complete and partial solubility of the dried tamarind pellets at each and every temperature conditions was noted.



**Fig. 3. Solubility testing of dried tamarind pellets**

**Sensory evaluation:** Sensory evaluation was conducted to the different sample ratios of dried tamarind pellets and to find which sample was excellent among the 5 samples. The sensory attributes of the tamarind pellets were evaluated by semi-trained panel with 9 point hedonic scale. The appearance, color, sourness, size, shape, mouth feel, texture and overall acceptability were the attributes considered for the sensory evaluation.

### 3. RESULTS AND DISCUSSION

The results obtained from the physico-chemical analysis of the tamarind pellet samples with

different ratio of tamarind and corn flour are presented in Table 1. The pH of the tamarind pellet samples were analyzed ranged from  $2.74 \pm 0.13339$  to  $2.96 \pm 0.13320$ . The ratio of 3 part of tamarind paste and 1 part of corn flour (3:1) had the lowest pH value of  $2.74 \pm 0.13339$ , due to having higher quantity of tamarind content from other treatments and 1:1 ratio had the highest pH value of  $2.96 \pm 0.13320$ . The pH has an inverse relationship with the proportion increasing of tamarind content in every treatments.

The reverse was observed in the results for acidity, in which 3:1 ratio had the highest value of  $17.2 \pm 0.13127\%$ , while 1:1, 1.5:1, 2:1 and 2.5:1 had the acidity values of  $13.12 \pm 0.13139$ ,  $14.25 \pm 0.13135$ ,  $15.00 \pm 0.13133$  and  $16.15 \pm 0.13129\%$ , respectively.

Tartaric acid is the main acid in tamarind juice, and it influences the dominant microflora in the tamarind as well as the shelf stability of the tamarind pellets. The acidity of the product reduces its susceptibility to bacterial action while increasing its susceptibility to yeasts and molds. The result obtained from this study was in accordance with Agbaje et al. [16] who examined physico-chemical properties and sensory qualities of juices extracted from five selected fruits and their peels.

#### 3.1 Solubility of Dried Tamarind Pellets

The experiment was investigated on five different sample ratios. A linear relationship was found between amount of tamarind content in tamarind pellets and its solubility. The time required for dissolution of tamarind pellets ranged from 19.2 min to 24.2 min against stirring of solution and 25.1 to 30.3 min against non-stirring of solution for partial solubility at 55 °C. For complete solubility of tamarind pellets, stirring process required 34.1 to 29.7 min and non-stirring recorded 40.3 to 45.1 min at 55 °C as given in Table 2.

**Table 1. Mean values of pH and acidity of tamarind pellet with different treatments**

S. No	Treatments (Tamarind paste: Corn flour)	pH	Acidity (%) of Tartaric Acid
1.	1:1	$2.96 \pm 0.13320$	$13.12 \pm 0.13139$
2.	1.5:1	$2.93 \pm 0.13322$	$14.25 \pm 0.13135$
3.	2:1	$2.87 \pm 0.13327$	$15.00 \pm 0.13133$
4.	2.5:1	$2.81 \pm 0.13333$	$16.15 \pm 0.13129$
5.	3:1	$2.74 \pm 0.13339$	$17.20 \pm 0.13127$

**Table 2. Mean value of time taken for partial and complete solubility of tamarind pellets at 55°C**


Temperature (55°C)		Partial solubility		Complete solubility	
S.No	Sample ratios	With Stirring (min.)	Without Stirring (min.)	With Stirring (min.)	Without Stirring (min.)
1	1:1	24.2	30.3	34.1	45.1
2	1.5:1	23.8	29.6	33.7	44.4
3	2:1	22.4	28.2	32.2	43.1
4	2.5:1	21.6	27.8	31.5	42.7
5	3:1	19.2	25.1	29.7	40.3

Average of six trials

**Table 3. Mean value of time taken for partial and complete solubility of tamarind pellets at 65°C**

Temperature (65°C)		Partial solubility		Complete solubility	
S.No	Sample ratios	With Stirring (min.)	Without Stirring (min.)	With Stirring (min.)	Without Stirring (min.)
1	1:1	15.3	25.1	20.1	39.9
2	1.5:1	14.5	24.7	19.3	39.2
3	2:1	13.8	23.1	18.7	38.1
4	2.5:1	12.1	22.4	17.9	37.3
5	3:1	10.9	20.2	15.5	35.7

Average of six trials



**Fig. 4. Time taken for partial solubility of tamarind pellets at 100°C**

The solubility time of tamarind pellets was decreased with increased ratio of tamarind paste content in total sample ratio, which is shown in Table 3. The time required for complete solubility of tamarind pellets with stirring at 65 °C, in which 1:1 sample ratio had the highest value of 20.1, while 1.5:1, 2:1, 2.5:1 and 3:1 had the values of 19.3, 18.7, 17.9 and 15.5 min., respectively.

Tables 2 and 3 explain the effect of different temperature combinations with stirring and without stirring (non-stirring process with glass rods) on partial and complete solubility of the tamarind pellets. In pharmaceutical industries, stirring is important parameter to evaluate the solubility of the Tablets [17]. Table 2 clearly

indicates a substantial change in time that consume for partial and complete solubility of tamarind pellets in water solvent with respect to temperature and with /without stirring of solution.

Figs. 4 and 5 showed the minimum time required for partial and complete solubility of the tamarind pellets in water with stirring was observed at 5.1 min. and 8.5 min. at 100°C, respectively. The dissolution time of the pellets was increased, when reducing the temperature of the solvent without stirring. The sample dissolved at 55°C had the higher dissolution time as 25.1 min. and 40.3 min. for partial solubility (without stirring) and complete solubility (without stirring) in the water, respectively.




Fig. 5. Time taken for complete solubility of tamarind pellets at 100°C

Table 4. Sensory evaluation (Mean ± SE) of tamarind pellets

S.No	Treatments	Appearance	Color	Texture	Sourness	Size & Shape	Mouth feel	Overall Acceptability
1.	1:1	6.3±.1319 <sup>b</sup>	5.9±.1320 <sup>b</sup>	6.1±.1319 <sup>b</sup>	5.9±.1319 <sup>b</sup>	6.4±.1319 <sup>b</sup>	6.0±.1318 <sup>b</sup>	6.1±.1318 <sup>b</sup>
2.	1.5:1	5.9±.1320 <sup>a</sup>	5.5±.1321 <sup>a</sup>	6.5±.1319 <sup>a</sup>	6.2±.1319 <sup>a</sup>	6.0±.1320 <sup>a</sup>	6.3±.1319 <sup>a</sup>	6.7±.1319 <sup>a</sup>
3.	2:1	6.9±.1318 <sup>c</sup>	6.5±.1319 <sup>c</sup>	7.1±.1318 <sup>c</sup>	7.2±.1318 <sup>c</sup>	7.3±.1318 <sup>c</sup>	7.4±.1317 <sup>c</sup>	7.0±.1317 <sup>c</sup>
4.	2.5:1	7.7±.1317 <sup>d</sup>	7.3±.1318 <sup>d</sup>	7.9±.1317 <sup>d</sup>	7.8±.1317 <sup>d</sup>	7.7±.1317 <sup>d</sup>	7.6±.1317 <sup>d</sup>	7.9±.1317 <sup>d</sup>
5.	3:1	8.7±.1316 <sup>e</sup>	8.3±.1318 <sup>e</sup>	8.0±.1317 <sup>e</sup>	8.8±.1316 <sup>e</sup>	8.6±.1316 <sup>e</sup>	8.5±.1316 <sup>e</sup>	8.4±.1316 <sup>e</sup>
	<b>F value</b>	<b>72.470**</b>	<b>72.403**</b>	<b>40.383**</b>	<b>60.537**</b>	<b>61.845**</b>	<b>41.721**</b>	<b>37.701**</b>

The superscripts with same letter indicate that the treatments are on par

The above analysis showed the result that the solubility of tamarind pellets increased when temperature increased. It is well understood that the temperature is one of the main factors that affect the solubility. The observed phenomena can be related with [18] who advocated that the heat released during the dissolving process is less than the heat required to break apart the material, the net dissolving reaction is endothermic (energy required). The use of additional energy speeds up the dissolving reaction by supplying energy to break down solid bonds. Here, the tamarind content in pellets influenced the solubility conditions i.e. the higher ratio of tamarind content will reduce the time required for solubility. The condition of with & without stirring also showed various results on solubility time under partial and complete solubility.

### 3.2 Sensory Evaluation

Table 4 summarizes the results for the sensory evaluation and overall acceptability of the tamarind pellet samples. The statistical analysis revealed that there were significant difference ( $p < 0.05$ ) among the tamarind pellets in the sensory attributes observed. The sample ratio of 3:1 (Tamarind: Corn flour) had the highest score ( $8.3 \pm 0.1318$ ), while 1:5 sample ratio had the lowest score ( $5.5 \pm 0.1321$ ) for color. The appearance was based on how the color appeal to the panelists. The color was better, when increasing the concentration of tamarind paste in pellets. Similar trends were observed for the sensory ratings of texture and mouthfeel in the tamarind pellets, 1:1 sample ratio of pellets had the lowest scores ( $6.1 \pm 0.1319$ ) followed by 1.5:1 ( $6.5 \pm 0.1319$ ) for texture and 3:1 had the highest score ( $8.5 \pm 0.1316$ ) followed by 2.5:1 ( $7.6 \pm 0.1317$ ) for mouthfeel. The sensory evaluation was revealed that 3:1 sample ratio of tamarind pellets had the highest overall acceptability ratings of  $8.4 \pm 0.1316$ .

### 4. CONCLUSION

The study demonstrated that the development of tamarind pellets which made up into a standardized product under ready – to – use category. The results obtained could be very valuable in decision making for industries that want to take nutritional advantage of tamarind pellets as alternative. Corn flour acts as a thickening or binding agent and has lower cost when compared to other thickeners. Hence, this study is an attempt to acquire the development of

tamarind pellets in the best combination of tamarind paste and corn flour at 3:1 was found superior in terms of solubility, pH, acidity and overall acceptability and also it will surely reduce the time consumption to prepare the tamarind paste while cooking.

### DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc.) and text-to-image generators have been used during the writing or editing of this manuscript.

### COMPETING INTERESTS

Authors have declared that no competing interests exist.

### REFERENCES

1. Gopala Krishna Reddy, Prasad TV, Sreedevi Shankar K, Ms. Pushpanjali, Jyothilakshmi N, Salini K, Ramesh Babu R, Vinod Kumar Singh, Jagati Yadagiri. Morpho-biochemical Characterization of Tamarind (*Tamarindus indica* L.). Legume Research- An International Journal. 2024;47(6):990-995.
2. Rao YS, Mary Mathew K. Tamarind, In: Handbook of Herbs and Spices. [Peter, K.V. (ed.)]. Woodhead, Cambridge. 2001;1:287-296.
3. De Caluwe E, Halamov K, Van Damme P. Tamarind (*Tamarindus indica* L.): A review of traditional uses, phytochemistry and pharmacology. In: African Natural Plant Products: Discoveries and Challenges in Quality Control; 2010.
4. Urszula Trila, Juana Fernández-López, José Ángel Pérez Álvarez, Manuel Viuda-Martos. Chemical, physicochemical, technological, antibacterial and antioxidant properties of rich-fibre powder extract obtained from tamarind (*Tamarindus indica* L.). Industrial Crops and Products. 2014;55:155-162.
5. Ugwuona FU, Onweluzo JC. Assessment of antioxidant properties of tamarind fruit pulp and its effect on storage stability of African bread fruit seed dhal and flour. Nigerian Food Journal. NIFOJ. 2013;31(2):41–47.
6. Dávila-Hernández, Gabriela et al. Pretreatment of tamarind pericarp to increase antioxidant availability and its



- application in a functional food. Journal of Food Science and Technology. 2021; 58(6):2385-2394.
7. Iskandar I, Setiawan F, Sasongko LD, Adnyana IK. Six-month chronic toxicity study of Tamarind Pulp (*Tamarindus indica* L.) water extract. Sci Pharm. 2017; 85(1):10.  
DOI: 10.3390/scipharm85010010
  8. Gabriel Anayo Jacob, Michael Agba Igyor, Mike Ojotu Eke. Study of physico-chemical and storage qualities of "AWARA" produced from soymilk using tamarind fruit pulp extract used as coagulant. Asian Food Science Journal. 2024;23(7): 10-21.
  9. Pandian NKS, Rajkumar P. Sun and mechanical drying and study on drying rate kinetics of tamarind (*Tamarindus indica* L.) at different drying temperatures. Environment and Ecology. 2016;34:324-328.
  10. Pandian NKS, Rajkumar P. Harvest and postharvest processing of tamarind. Tamarind Science and Technology. Chapter 4. Scientific Publishers (India); 2018.  
Available:[https://play.google.com/books/reader?id=5mmMDwAAQBAJ&pg=GBS.PP1&hl=en\\_GB](https://play.google.com/books/reader?id=5mmMDwAAQBAJ&pg=GBS.PP1&hl=en_GB).
  11. Pandian NKS, Rajkumar P, Vishwanathan R. Development and evaluation of impact and shear type tamarind deseeder. Agricultural Mechanization in Asia, Africa and Latin America. 2017;48(3):52-57.
  12. Amit Kumar Sinha, Patel S, Choudhary PL. Some studies on physical and chemical properties of tamarind at different moisture content. Journal of Plant Development Sciences. 2012;4(1):81-84.
  13. Jorge Inaki Gamero-Barraza, Gerardo Antonio Pamanes-Carrasco Cristian Patricia Cabrales-Arellano, Hiram Medrano-Roldan, Efren Delgado, Daniela Gallegos-Ibanez Harald Wedwitschke, Damian Reyes-J Aquez. Computational modelling of extrusion process temperatures on the interactions between black soldier fly larvae protein and corn flour starch. Food Chemistry: Molecular Sciences. 2024;8:100202.
  14. Jin-Ju Lee, Eun-Jeong Kim, Ja-Min Kim, Kyung-Young Yoon. Physicochemical properties and antioxidant activity of orange juice and grapefruit juice sold in Korea. Food Science and Preservation. 2019;26(3):322-329.  
Available:<https://doi.org/10.11002/kjfp.2019.26.3.322>
  15. Takeru H, Fong-mel L. Shih, Toshikiro K, Howard R. Solubility determination of barely aqueous soluble organic solids. Journal of Pharmaceutical Sciences. 1979;68(10):1267.
  16. Agbaje RB, Ibrahim TA, Raimi OT. Physico-chemical properties and sensory qualities of juices extracted from five selected fruits and their peels. International Journal of Engineering Applied Sciences and Technology. 2020;4(11):239-244.
  17. Bevernage J, Brouwers J, Brewster ME, Augustijns P. Evaluation of gastrointestinal drug super saturation and precipitation: Strategies and issues. Int. J. Pharm. 2013;453:25-35.
  18. Anonymous. Map: General Chemistry: Principles, Patterns, and Applications (Averill); 2024.  
Available:<https://chem.libretexts.org/@go/page/358648?pdf>

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:  
The peer review history for this paper can be accessed here:  
<https://www.sdiarticle5.com/review-history/124406>